41	Numb r: 09/770., 102 A Changed a file from non-ASCII to ASCII Changed a file from non-ASCII to ASCII
	Changed the margins in cases where the sequence text was wrapped down to the next line.
	Edited a format error in the Current Application Data section, specifically.
	Edited the Current Application Data section with the actual current number. The number inputted by the applicant was the prior application data; or other
	Added the mandatory heading and subheadings for "Current Application Data".
	Edited the "Number of Sequences" field. The applicant spelled out a number instead of using an integer
	Changed the spelling of a mandatory field (the headings or subheadings), specifically:
	Corrected the SEQ ID NO when obviously incorrect. The sequence numbers that were edited were:
	Inserted or corrected a nucleic number at the end of a nucleic line. SEQ ID NO's edited:
	Corrected subheading placement. All responses must be on the same line as each subheading. If the applicant placed a response below the subheading, this was moved to its appropriate place.
	Inserted colons after headings/subheadings. Headings edited included:
	Deleted extra, invalid, headings used by an applicant, specifically:
	Deleted: non-ASCII "garbage" at the beginning/end of files; secretary initials/filename at end of page numbers throughout text; other invalid text, such as
	Inserted mandatory headings, specifically:
	Corrected an obvious error in the response, specifically:
	Edited identifiers where upper case is used but lower case is required, or vice versa.
	Corrected an error in the Number of Sequences field, specifically:
	A "Hard Page Break" code was inserted by the applicant. All occurrences had to be deleted.
C	Deleted <i>endIng</i> stop codon in amino acid sequences and adjusted the "(A)Length:" field accordingly (errodue to a PatentIn bug). Sequences corrected:
	Other: globally correited muspelling of POSition"



OIPE

PATENT APPLICATION: US/09/770,102A TIME: 17:35:43 Input Set : N:\Crf3\02142002\1770102A.raw Output Set: N:\CRF3\02262002\1770102A.raw 1 <110> APPLICANT: Cyclacel 2 <120> TITLE OF INVENTION: Compositions and Methods for Monitoring the Modification of Modification Dependent Binding Partner Polypeptides 5 <130> FILE REFERENCE: 10069/1062 C--> 6 <140> CURRENT APPLICATION NUMBER: US/09/770,102A 7 <141> CURRENT FILING DATE: 2001-01-25 8 <150> PRIOR APPLICATION NUMBER: US 60/179283 9 <151> PRIOR FILING DATE: 2000-01-31 10 <160> NUMBER OF SEQ ID NOS: 57 11 <170> SOFTWARE: PatentIn version 3.1 13 <210> SEQ ID NO: 1 14 <211> LENGTH: 17 15 <212> TYPE: PRT 16 <213> ORGANISM: Unknown 17 <220> FEATURE: 18 <223> OTHER INFORMATION: ADP-ribosylation domain 19 <221> NAME/KEY: DOMAIN 20 <222> LOCATION: (1)..(17) 21 <223> OTHER INFORMATION: ADT-ribosylation site 22 <400> SEQUENCE: 1 23 Met Leu Cys Cys Met Arg Arg Thr Lys Gln Val Glu Lys Asn Asp Asp 24 1 10 25 Asp 27 <210> SEQ ID NO: 2 28 <211> LENGTH: 10 29 <212> TYPE: PRT 30 <213> ORGANISM: Unknown 31 <220> FEATURE: 32 <223> OTHER INFORMATION: ADP-ribosylation site 33 <221> NAME/KEY: DOMAIN 34 <222> LOCATION: (1)..(10) 35 <223> OTHER INFORMATION: ADP-ribosylation site

Phe Lys Gln Arg Gln Thr Arg Gln Phe Lys

45 <223> OTHER INFORMATION: ubiquitination site

RAW SEQUENCE LISTING

43 <213> ORGANISM: Unknown

46 <221> NAME/KEY: DOMAIN

36 <400> SEQUENCE: 2

1 40 <210> SEQ ID NO: 3 41 <211> LENGTH: 30 42 <212> TYPE: PRT

44 <220> FEATURE:

37

38

TIME: 17:35:43

Input Set : N:\Crf3\02142002\1770102A.raw Output Set: N:\CRF3\02262002\I770102A.raw 47 <222> LOCATION: (1)..(30) 48 <223> OTHER INFORMATION: ubiquitination site 49 <400> SEQUENCE: 3 Met Phe Gln Ala Ala Glu Arg Pro Gln Glu Trp Ala Met Glu Gly Pro 50 51 Arg Asp Gly Leu Lys Lys Glu Arg Leu Leu Asp Asp Arg His 52 53 55 <210> SEQ ID NO: 4 56 <211> LENGTH: 21 57 <212> TYPE: PRT 58 <213> ORGANISM: Unknown 59 <220> FEATURE: 60 <223> OTHER INFORMATION: ubiquitination site 61 <221> NAME/KEY: DOMAIN 62 <222> LOCATION: (1)..(21) 63 <223> OTHER INFORMATION: ubiquitination site 64 <400> SEQUENCE: 4 His Gly Ser Gly Ala Trp Leu Leu Pro Val Ser Leu Val Lys Arg Lys 65 66 67 Thr Thr Leu Ala Pro 68 70 <210> SEQ ID NO: 5 71 <211> LENGTH: 10 72 <212> TYPE: PRT 73 <213> ORGANISM: Unknown 74 <220> FEATURE: 75 <223> OTHER INFORMATION: O-GlcNAc site 76 <221> NAME/KEY: DOMAIN 77 <222> LOCATION: (1)..(10) 78 <223> OTHER INFORMATION: O-GlcNAc site 79 <400> SEQUENCE: 5 Gly Thr Thr Ser Thr Ile Gln Thr Ala Pro 80 81 1 83 <210> SEQ ID NO: 6 84 <211> LENGTH: 12 85 <212> TYPE: PRT 86 <213> ORGANISM: Unknown 87 <220> FEATURE: 88 <223> OTHER INFORMATION: O-GlcNAc site 89 <221> NAME/KEY: DOMAIN 90 <222> LOCATION: (1)..(12) 91 <223> OTHER INFORMATION: O-GlcNAc site 92 <400> SEQUENCE: 6 93 Ser Ala Val Ser Ser Ala Asp Gly Thr Val Leu Lys 94 96 <210> SEQ ID NO: 7 97 <211> LENGTH: 18 98 <212> TYPE: PRT 99 <213> ORGANISM: Unknown

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/770,102A

TIME: 17:35:43

```
Input Set : N:\Crf3\02142002\I770102A.raw
                       Output Set: N:\CRF3\02262002\1770102A.raw
       100 <220> FEATURE:
       101 <223> OTHER INFORMATION: O-GlcNAc site
       102 <221> NAME/KEY: DOMAIN
       103 <222> LOCATION: (1)..(18)
       104 <223> OTHER INFORMATION: O-GlcNAc site
       105 <400> SEQUENCE: 7
                Asp Ser Ser Thr Asp Leu Thr Gln Thr Ser Ser Ser Gly Thr Val Thr
       106
       107
                                 5
                                                      10
      108
                Leu Pro
      110 <210> SEQ ID NO: 8
      111 <211> LENGTH: 12
      112 <212> TYPE: PRT
      113 <213> ORGANISM: Unknown
      114 <220> FEATURE:
      115 <223> OTHER INFORMATION: O-GlcNAc site
      116 <221> NAME/KEY: DOMAIN
      117 <222> LOCATION: (1)..(12)
      118 <223> OTHER INFORMATION: O-GlcNAc site
      119 <400> SEQUENCE: 8
      120
                Met Ala Gly Gly Pro Ala Asp Thr Ser Asp Pro Leu
      121
                1
                                 5
      123 <210> SEQ ID NO: 9
      124 <211> LENGTH: 13
      125 <212> TYPE: PRT
      126 <213> ORGANISM: Unknown
      127 <220> FEATURE:
      128 <223> OTHER INFORMATION: O-GlcNAc site
     129 <221> NAME/KEY: DOMAIN
     130 <222> LOCATION: (1)..(13)
     131 <223> OTHER INFORMATION: O-GlcNAc site
     132 <400> SEQUENCE: 9
               Ala Gln Thr Ile Thr Ser Glu Thr Pro Ser Ser Thr Thr
     133
     134
               1
     136 <210> SEQ ID NO: 10
     137 <211> LENGTH: 8
     138 <212> TYPE: PRT
     139 <213> ORGANISM: Unknown
     140 <220> FEATURE:
     141 <223> OTHER INFORMATION: Consensus sequence
     142 <221> NAME/KEY: MISC_FEATURE
     143 <222> LOCATION: (1)..(8)
     144 <223> OTHER INFORMATION: Xaa at position 6 may be any amino acid
     145 <221> NAME/KEY: MISC_FEATURE
     146 <222> LOCATION: (1)..(8)
     147 <223> OTHER INFORMATION: Xaa at position 3 may be any amino acid
     148 <400> SEQUENCE: 10
W-> 149
               Arg Arg Xaa Arg Arg Xaa Ser Thr
     150
               1
    152 <210> SEQ ID NO: 11
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/770,102A

TIME: 17:35:43

```
Input Set : N:\Crf3\02142002\I770102A.raw
                    Output Set: N:\CRF3\02262002\1770102A.raw
   153 <211> LENGTH: 5
   154 <212> TYPE: PRT
   155 <213> ORGANISM: Unknown
   156 <220> FEATURE:
   157 <223> OTHER INFORMATION: Consensus sequence
   158 <221> NAME/KEY: DOMAIN
   159 <222> LOCATION: (1)..(5)
   160 <223> OTHER INFORMATION: Consensus sequence, each Xaa is any amino acid
   161 <221> NAME/KEY: MISC_FEATURE
   162 <222> LOCATION: (1)..(5)
   163 <223> OTHER INFORMATION: X at position 2, 3, and 5 can be any amino acid
   164 <400> SEQUENCE: 11
             Lys Xaa Xaa Ser Xaa
   166
             1
   168 <210> SEQ ID NO: 12
   169 <211> LENGTH: 3
   170 <212> TYPE: PRT
   171 <213> ORGANISM: Unknown
   172 <220> FEATURE:
  173 <223> OTHER INFORMATION: Consensus sequence
  174 <221> NAME/KEY: DOMAIN
  175 <222> LOCATION: (1)..(3)
  176 <223> OTHER INFORMATION: Consensus sequence, Xaa is any amino acid
  177 <221> NAME/KEY: MISC_FEATURE
  178 <222> LOCATION: (1)..(3)
  179 <223> OTHER INFORMATION: X at position 2 can be any amino acid
  180 <400> SEQUENCE: 12
♦ 181
            Arg Xaa Thr
  182
            1
  184 <210> SEQ ID NO: 13
  185 <211> LENGTH: 5
  186 <212> TYPE: PRT
  187 <213> ORGANISM: Unknown
  188 <220> FEATURE:
  189 <223> OTHER INFORMATION: Consensus sequence
  190 <221> NAME/KEY: DOMAIN
  191 <222> LOCATION: (1)..(5)
  192 <223> OTHER INFORMATION: Consensus sequence, each Xaa is any amino acid
  193 <221> NAME/KEY: MISC_FEATURE
  194 <222> LOCATION: (1)..(5)
  195 <223> OTHER INFORMATION: X at position 2, 3, and 5 can be any amino acid
  196 <400> SEQUENCE: 13
→ 197
            Arg Xaa Xaa Ser Xaa
  198
                            5
  200 <210> SEQ ID NO: 14
 201 <211> LENGTH: 4
 202 <212> TYPE: PRT
 203 <213> ORGANISM: Unknown
 204 <220> FEATURE:
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/770,102A

TIME: 17:35:43

```
Input Set : N:\Crf3\02142002\I770102A.raw
                      Output Set: N:\CRF3\02262002\1770102A.raw
      205 <223> OTHER INFORMATION: Consensus sequence
      206 <221> NAME/KEY: DOMAIN
      207 <222> LOCATION: (1)..(4)
     208 <223> OTHER INFORMATION: Consensus sequence, each Xaa is any amino acid
     209 <221> NAME/KEY: MISC_FEATURE
     210 <222> LOCATION: (1)..(4)
     211 <223> OTHER INFORMATION: X at position 1 and 4 can be any amino acid
     212 <400> SEQUENCE: 14
 i-/k≥ 213
               Xaa Ser Arg Xaa
     214
     216 <210> SEQ ID NO: 15
     217 <211> LENGTH: 8
     218 <212> TYPE: PRT
     219 <213> ORGANISM: Unknown
     220 <220> FEATURE:
     221 <223> OTHER INFORMATION: Consensus sequence
     222 <221> NAME/KEY: DOMAIN
     223 <222> LOCATION: (1)..(8)
     224 <223> OTHER INFORMATION: Consensus sequence, each Xaa is any amino acid
     225 <221> NAME/KEY: MISC_FEATURE
     226 <222> LOCATION: (1)..(8)
     227 <223> OTHER INFORMATION: X at position 1, 3, 4, 6 and 8 can be any amino acid
     228 <400> SEQUENCE: 15
229 ما(١٧
               Xaa Arg Xaa Xaa Ser Xaa Arg Xaa
     230
               1
                               5
     232 <210> SEQ ID NO: 16
    233 <211> LENGTH: 6
    234 <212> TYPE: PRT
    235 <213> ORGANISM: Unknown
    236 <220> FEATURE:
    237 <223> OTHER INFORMATION: Consensus sequence
    238 <221> NAME/KEY: DOMAIN
    239 <222> LOCATION: (1)..(6)
    240 <223> OTHER INFORMATION: Consensus sequence, each Xaa is any amino acid
    241 <221> NAME/KEY: MISC_FEATURE
    242 <222> LOCATION: (1)..(6)
    243 <223> OTHER INFORMATION: X at position 1, 3, 4, and 6 can be any amino acid
    244 <400> SEQUENCE: 16
  > 245
              Xaa Arg Xaa Xaa Ser Xaa
    246
                              5
    248 <210> SEQ ID NO: 17
    249 <211> LENGTH: 6
    250 <212> TYPE: PRT
    251 <213> ORGANISM: Unknown
    252 <220> FEATURE:
   253 <223> OTHER INFORMATION: Consensus sequence
   254 <221> NAME/KEY: DOMAIN
   255 <222> LOCATION: (1)..(6)
   256 <223> OTHER INFORMATION: Consensus sequence
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/770,102A



Use of n and/or Xaa has been detected in the Sequence Listing. Review the Sequence Listing to insure a corresponding explanation is presented in the <220> to <223> fields of each sequence using n or Xaa.

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/770,102A

DATE: 02/26/2002 TIME: 17:35:44

Input Set : N:\Crf3\02142002\1770102A.raw
Output Set: N:\CRF3\02262002\1770102A.raw

```
L:6 M:270 C: Current Application Number differs, Wrong Format
L:149 M:341 W: (46) "\tilde{n}" or "Xaa" used, for SEQ ID#:10
L:165 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11
L:181 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:197 M:341 W: (46) "n" or "Xaa" used, for SEQ ID\#:13
L:213 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14
L:229 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15
L:245~M:341~W:~(46) "n" or "Xaa" used, for SEQ ID#:16
L:274 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18
L:290 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19
L:306 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20
L:426 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29
L:696 \ M:341 \ W: \ (46) "n" or "Xaa" used, for SEQ ID#:48
L\!:\!712 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:49
L:728 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:50
L:744 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:51
L:760 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52
```